

Industrial Cleaning Machine

Used Industrial Cleaning Machine Glendale - Save hours of time by relying on commercial floor scrubbers to provide an efficient method for cleaning and maintaining floors in an efficient manner. Labor expenses make up about 90% of total expenses when it comes to maintaining floors. Large areas can be cleaned thoroughly and with less staff when commercial floor scrubbers are utilized. There are a variety of automated commercial floor scrubbing models available on the market. Many technological advancements feature robotic upgrades to make commercial floor scrubbers more user-friendly. These machines offer an automated system for evenly dispersing the cleaning compound at regular intervals. Behind the suction nozzle on the vacuum, a squeegee attachment can be located on automatic floor scrubbers to add to their cleaning capacity. These machines feature separate recovery or collection tanks. The cleaning mixture is held in the dispersing tank while the collection tank is home to the material gathered by the vacuum and the liquids accumulated there. This design keeps dirty and clean water away from each other to create a more hygienic option compared to traditional mop and bucket methods. The automatic scrubber initially dispenses the cleaning compound via the dispensing tank. Next, the scrubbing system pushes this solution into the floor to loosen marks, stains and dirt which become suctioned back into the collection tank as the machine makes a pass.

Automatic Floor Scrubber Head Types Automatic floor scrubbers are available in three common types of floor scrubber heads: 1. Rotary, sometimes referred to as disk; 2. Cylindrical; and 3. Square oscillating.

Rotary or Disk Floor Scrubber Head The disk or rotary model of floor scrubber head is the most popular kind. They operate in a circular motion with one or two round brushes or pads that push a cleaning solution into the floor.

Cylindrical Floor Scrubber Head The cylindrical floor scrubber head uses counter rotating tube style brushes that rotate at a 90 degree angle to the floor. This type of design allows for better cleaning of irregular or uneven locations. Machines utilizing a cylindrical scrubber head commonly have a collection tray located behind the scrubber head that allow for collection of larger objects such as nails and stones, eliminating the need to pick up smaller objects before cleaning. It is possible to clean numerous types of flooring thanks to the variety of brush types available. Soft brushes can be utilized to clean synthetic floors, textured tile and rubber and harder bristles can be used for cleaning grouted tile, concrete and other harder surfaces.

Square Oscillating Floor Scrubber Head There is a flat pad on square oscillating floor scrubbing models that vibrate at high speed to clean the floor. This square design enables faster and easier cleaning for corners and walls. These machines can remove the floor finish when the square scrubbing heads are used in conjunction with special stripping pads. This combination additionally is helpful for cleaning vinyl tile flooring. Because the square pad oscillates at very high speed, they apply more agitation to the floor resulting in more cleaning power. They do very well when cleaning grouted tile.

Floor Scrubber Categories

Walk-Behind Floor Scrubbers There is a forward assist feature on walk-behind floor scrubbing models that helps to propel the unit forward when the operator enables this mechanism. The forward assist mechanism can help eliminate operator fatigue by enabling the operator to work longer in comparison to manual and traditional methods.

Stand-On Floor Scrubbers Stand-on floor scrubbing models showcase more efficiency for cleaning larger locations in comparison to walk-behind units. These machines are more affordable than rider floor scrubber models. These machines are also typically smaller than a rider machine so can fit into areas a rider floor scrubber could not and have increased maneuverability. Because the operator is in a standing position, stand-on floor scrubbers also offer a better line-of-sight than both rider machines and walk-behind machines.

Rider Floor Scrubbers The rider units allow the operator to be seated while the machine is in operation. They work in much the same way as the stand-on floor scrubbers but require even less effort because of the ability to sit comfortably, reducing fatigue. This translates to an greater ability to cover very large areas quickly, offering approximately 65 percent greater efficiency than a walk-behind floor scrubber.

Robotic Floor Scrubbers Advancements in technologies in the autonomous robotics

field have produced a new niche of floor-scrubbing robots. These units were born by joining self-control robotic features with automatic floor scrubbing options. Commercial models are suitable for education, retail, healthcare and manufacturing facilities. Some models of commercial floor scrubbers can efficiently clean up to 10,000 square-feet in sixty minutes. As exciting new developments in robotic continue to develop, it is expected that the capability of robotic floor scrubbers will increase over time. Areas of increased development are expected specifically with improved sensors and computing components. Mobile robotic sensors enable today's floor scrubbers to complete a wider detection range around objects and walls. This will allow the machine to determine its exact location in larger environments, such as shopping malls, convention centers and airports. The first models of residential cleaning machines operated in a random cleaning pattern. Updated models of commercial floor scrubbing units can complete their jobs much more accurately. These machines travel in a consistent and predictable manner every time they are in operation. Because of these advancing capabilities which allow these robotic floor scrubbers to know precisely where they have already cleaned and what areas they must still clean, they miss very few, if any, areas of the floor. Special sensors help the robotic floor scrubbers navigate around obstacles and people when they encounter any while operating autonomously.

Additional Floor Scrubber Options and Considerations

Hard to Reach Areas Many floor scrubbers are unable to reach edges, corners or under or around fixtures such as water fountains. Typically, these locations would need to be cleaned with a mop and bucket if they could not accommodate the machine. Some floor scrubbing manufacturers have created oscillating brushes that enable the machine to access tricky locations.

Pre-Sweeping and Vacuum System Maintenance Pre-sweeping features and vacuum systems enable newer models to complete a dry cleaning before the wet scrub option. This feature allows for removal of debris before scrubbing without the need for a traditional broom or dry mop. The pre-sweep brush head and collection chamber is placed in front of the vacuum system to collect dust and loose debris before it is able to reach the the vacuum system. This design helps to avoid any blockages occurring in the motor or vacuum hose. It was previously necessary to sweep with a broom or dry mop to dispose of debris and dust that might clog the vacuum hose or accumulate in the vacuum motor and negatively affect performance. Similar to residential vacuum systems, if a blockage happens, the vacuum hose may need to be removed to clear the area. Occasionally, the vacuum motor may need to be blown out with compressed air to clear away any debris.

Environmental Options Certain floor scrubbing models have environmentally friendly options. Safe soaps and water-saving systems work to save on both the number of chemicals used as well as the amount of greywater produced. Certain floor scrubbers are available to clean without any water or chemicals.

Solution Dispensing System Maintenance and Considerations Damage can occur to the solution dispensing system if stripping solutions are added to traditional floor scrubbers. However, they can still be vacuumed up by the machine without damage. It is recommended maintenance to use a vinegar and water mixture to periodically flush out the solution system to remove any soap or calcium deposits.